

Abdominal or pelvic enhanced CT images within 10 days before surgery of 230 patients with stage II colorectal cancer (StageII-Colorectal-CT)

Summary

Redirection Notice

This page will redirect to <https://www.cancerimagingarchive.net/collection/stageii-colorectal-ct/> in about 5 seconds.

This dataset includes abdominal or pelvic enhanced CT images within 10 days before surgery of 230 patients with stage II colorectal cancer (CRC). The inclusion criteria were as follows: (i) patients with radical surgery for CRC (complete removal of the original tumor and regional lymphadenectomy); (ii) patients with stage II CRC confirmed by histology and pathology; (iii) abdominal or pelvic enhanced CT examination was performed within 10 days before surgery, with complete CT enhanced scan images. The exclusion criteria were as follows: (i) preoperative treatment (neoadjuvant chemotherapy or radiotherapy); (ii) patients with another tumor diseases at the same time; (iii) patients who died within 1 month after surgery due to acute surgical complications.

All CT images were enhanced abdominal or pelvic CT scan, which were scanned by using a Sensation 64 (Siemens Healthcare, Erlangen, Germany) CT scanner or Brilliance (Philips Healthcare, Best, The Netherlands) CT scanner. The specific scanning parameters were as follows: 120kV tube voltage, 200mA tube current, 5 mm slice thickness, 0.5s/week rack speed, 1.4 or 0.9 pitch, 4.11 cm field of view and a 512×512 matrix. 80-100ml iodine contrast agent ioprolamine was injected through the cubital vein at a speed of 2-3mL/s. CT enhanced images were collected after 65-75s contrast agent injection.

The digital CT images were retrieved from the picture archiving and communication system (PACS), and exported with digital imaging and communication in medicine (DICOM) format. Patient identifying information has been removed. The publishing of this dataset follows the ethical and privacy rules of China. Other researchers can further analyze these CT images of stage II colorectal cancer or use the data as validation sets for their studies.

Acknowledgements

We would like to acknowledge the individuals and institutions that have provided data for this collection:

- This project was funded by National Natural Science Foundation of China (grant number: 81971687).

Data Access

Data Access

Data Type	Download all or Query/Filter	License
Images (DICOM, 6.8 GB)	Download Search (Download requires the NBIA Data Retriever)	CC BY 4.0

Click the Versions tab for more info about data releases.

Additional Resources for this Dataset

The following external resources have been made available by the data submitters. These are not hosted or supported by TCIA, but may be useful to researchers utilizing this collection.

- Source code is publicly available on Github at https://github.com/GongJingUSST/StageII_CRC

The NCI Cancer Research Data Commons (CRDC) provides access to additional data and a cloud-based data science infrastructure that connects data sets with analytics tools to allow users to share, integrate, analyze, and visualize cancer research data.

- [Imaging Data Commons \(IDC\)](#) (Imaging Data)

Detailed Description

Detailed Description

Image Statistics	Radiology
Modalities	CT
Number of Patients	230
Number of Studies	230
Number of Series	230
Number of Images	13,580
Images Size (GB)	6.8

Citations & Data Usage Policy

Citations & Data Usage Policy

Users must abide by the [TCIA Data Usage Policy and Restrictions](#). Attribution should include references to the following citations:

Data Citation

Tong T., Li M. (2022) **Abdominal or pelvic enhanced CT images within 10 days before surgery of 230 patients with stage II colorectal cancer (StageII-Colorectal-CT) [Dataset]**. The Cancer Imaging Archive. DOI: <https://doi.org/10.7937/p5k5-tg43>

Publication Citation

Li, M., Gong, J., Bao, Y., Huang, D., Peng, J., & Tong, T. (2022). Special issue “The advance of solid tumor research in China”: **Prognosis prediction for stage II colorectal cancer by fusing computed tomography radiomics and deeplearning features of primary lesions and peripheral lymph nodes**. In International Journal of Cancer. Wiley. <https://doi.org/10.1002/ijc.34053>

TCIA Citation

Clark K, Vendt B, Smith K, Freymann J, Kirby J, Koppel P, Moore S, Phillips S, Maffitt D, Pringle M, Tarbox L, Prior F. **The Cancer Imaging Archive (TCIA): Maintaining and Operating a Public Information Repository**, Journal of Digital Imaging, Volume 26, Number 6, December, 2013, pp 1045-1057. DOI: [10.1007/s10278-013-9622-7](https://doi.org/10.1007/s10278-013-9622-7)

Other Publications Using This Data

TCIA maintains [a list of publications](#) which leverage TCIA data. If you have a manuscript you'd like to add please [contact the TCIA Helpdesk](#).

Versions

Version 2 (Current): Updated 2022/04/11

Data Type	Download all or Query/Filter
Images (DICOM, 6.8 GB)	Download Search (Download requires the NBIA Data Retriever)

Repaired a byteswap error in the pixels to produce clearer images.

Version 1: Updated 2022/03/09

Data Type	Download all or Query/Filter
Images (DICOM, 6.8 GB)	Download (Download requires the NBIA Data Retriever)