Integration of CT-based Qualitative and Radiomic Features with Proteomic Variables in Patients with High-Grade Serous Ovarian Cancer: An Exploratory Analysis (TCGA-OV-Proteogenomics)

Summary

Objectives

To investigate the association between CT imaging traits and texture metrics with proteomic data in patients with high-grade serous ovarian cancer (HGSOC).

Methods

This retrospective, hypothesis-generating study included 20 The Cancer Genome Atlas Ovarian Cancer Collection (TCGA-OV) patients with HGSOC prior to primary cytoreductive surgery. Two readers independently assessed the contrast-enhanced computed tomography (CT) images and extracted 33 imaging traits, with a third reader adjudicating in the event of a disagreement. In addition, all sites of suspected HGSOC were manually segmented texture features were computed from each tumour site. Three texture features that represented intra-and inter-site tumour heterogeneity were used for analysis. An integrated analysis of transcriptomic and proteomic data identified proteins with conserved expression between primary tumour sites and metastasis. Correlations between protein-abundance and various CT imaging traits and texture features were assessed using the Kendall tau rank correlation-coefficient and the Mann-Whitney U test, whereas the area under the receiver-operating characteristic curve (AUC) was reported as a metric of the strength and the direction of the association. p values < 0.05 were considered significant.

Results

Four proteins were associated with CT-based imaging traits, with the strongest correlation observed between the CRIP2 protein and disease in the mesentery (p<0.001, AUC=0.05). The abundance of three proteins was associated with texture features that represented intra-and inter-site tumour heterogeneity, with the strongest negative correlation between the CKB protein and cluster dissimilarity (p=0.047, t =0.326).

Conclusion

This study provides the first insights into the potential associations between standard-of-care CT imaging traits and texture measures of intra-and inter-site heterogeneity, and the abundance of several proteins.

Data Access
Data Access

Data Type	Download all or Query/Filter	License
Images (DICOM, 3 GB)	*Download* (Download requires the NBIA Data Retriever)	CC BY 3.0
Image Analyses, Proteogenomic features, and Clinical data (CSV)	*Download*	CC BY 3.0

Click the Versions tab for more info about data releases.

Please contact TCIA's Helpdesk with any questions regarding usage.

Collections Used in this Third Party Analysis

Below is a list of the Collections used in these analyses:

- TCGA-OV

Citations & Data Usage Policy
Citations & Data Usage Policy

Users must abide by the TCIA Data Usage Policy and Restrictions. Attribution should include references to the following citations:

ⓘ

Other Publications Using This Data

TCIA maintains a list of publications that leverage TCIA data. If you have a manuscript you'd like to add please contact TCIA's Helpdesk.
Versions

Version 1 (Current): 2020/04/06

Data Type	Download all or Query/Filter
Images (DICOM, 3 GB)	**⊘ Download** (Download requires the NBIA Data Retriever)
Image Analyses, Proteogenomic features, and Clinical data (CSV)	**⊘ Download**