QIN PROSTATE

Summary

Redirection Notice

This page will redirect to https://www.cancerimagingarchive.net/collection/qin-prostate/ in about 5 seconds.

This collection contains multiparametric MRI images collected for the purposes of detection and/or staging of prostate cancer. The MRI parameters include T1- and T2-weighted sequences as well as Diffusion Weighted and Dynamic Contrast-Enhanced MRI. The images were obtained using endorectal and phased array surface coils at 3.0T (GE Signa HDx 15.0) The value of this collection is to provide clinical image data for the development and evaluation of quantitative methods for prostate cancer characterization using multiparametric MRI. Data was provided by Brigham and Women's Hospital, PI Dr. Fiona Fennessy.MR imaging exam was performed on a GE Signa HDx 3.0 T magnet (GE Healthcare, Waukesha, WI) using a combination of 8-channel abdominal array and endorectal coil (Medrad, Pittsburgh, PA). The MR sequences included T_1 - and T_2 -weighted imaging, diffusion weighted (DW) imaging, and DCE MRI. T_1 -weighted imaging was performed with a spoiled gradient recalled echo (SPGR) sequence with $TR/TE = 385 \text{ ms}/6.2 \text{ ms}/65^\circ$ over a $(16 \text{ cm})^2$ field of view (FOV). T₂-weighted imaging was performed with a FRFSE (Fast Recovery Fast Spin Echo) sequence with TR /TE = 3500/102 ms, FOV = $(16 \text{ cm})^2$. A DW echo planar imaging sequence with trace diffusion sensitization and *b*-values of 0 and 500 s/mm², and TR/TE = 2500/65 ms provided data for an Apparent Diffusion Coefficient (ADC) map. Finally, DCE MRI utilized a 3D SPGR sequence with TR/TE/ = $3.6 \text{ ms}/1.3 \text{ ms}/15^\circ$, FOV = $(26 \text{ cm})^2$, with full gland coverage and reconstructed image voxel size of 1×1×6 mm (interpolated to 256×256 matrix). DCE MRI frames were acquired at approximately 5 s intervals (the number of frames varied between 12 and 16 slices resulting in the time resolution between 4.4 and 5.3 seconds) to achieve a clinically appropriate compromise between spatial and temporal resolutions. Gadopentetate dimeglumine (Magnevist, Berlex Laboratories, Wayne, New Jersey) was injected intravenously using a syringe pump (0.15 mmol/kg) at the rate of 3 ml/s followed by 20 ml saline flush at the same rate. The protocol included \sim 5 baseline scans prior to contrast injection for estimation of baseline tissue properties.

About the NCI QIN

The mission of the QIN is to improve the role of quantitative imaging for clinical decision making in oncology by developing and validating data acquisition, analysis methods, and tools to tailor treatment for individual patients and predict or monitor the response to drug or radiation therapy. More information is available on the Quantitative Imaging Network Collections page. Interested investigators can apply to the QIN at: Quantitative Imaging for Evaluation of Responses to Cancer Therapies (U01) PAR-11-150.

Data Access Data Access

When you have a TCIA account, please email to help@cancerimagingarchive.net to request access to these data.

Data Type	Download all or Query/Filter	License
Images (DICOM, 4.4GB)	Download Search	TCIA restricted
	(Download requires the NBIA Data Retriever)	

Click the Versions tab for more info about data releases. **Detailed Description**

Detailed Description

Collection Statistics	
Modalities	MR
Number of Participants	22
Number of Studies	22
Number of Series	319
Number of Images	25,981
Image Size (GB)	4.4

A subset of datasets from this collection were used in [1]. The MR sequences included T_{I} - and T_{2} -weighted imaging, diffusion weighted (DW) imaging, and DCE MRI following the protocol described in [2].

References

[1] Fedorov, A., Fluckiger, J., Ayers, G. D., Li, X., Gupta, S. N., Tempany, C., Mulkern, R., Yankeelov, T.E., Fennessy, F. M. (2014). A comparison of two methods for estimating DCE-MRI parameters via individual and cohort based AIFs in prostate cancer: A step towards practical implementation. Magnetic Resonance Imaging, 32(4), 321–9. doi:10.1016/j. mri.2014.01.004

[2] Hegde, J. V, Mulkern, R. V, Panych, L. P., Fennessy, F. M., Fedorov, A., Maier, S. E., & Tempany, C. M. C. (2013). Multiparametric MRI of prostate cancer: An update on state-of-the-art techniques and their performance in detecting and localizing prostate cancer. *Journal of Magnetic Resonance Imaging: JMRI*, *37*(5), 1035–54. doi:10.1002/jmri.23860 <u>Citations & Data Usage Policy</u>

Citations & Data Usage Policy

Users must abide by the TCIA Data Usage Policy and Restrictions. Attribution should include references to the following citations:

Please acknowledge the award that supported collection and sharing of these data sets (U01 CA151261, PI Fiona Fennessy) and the citations below if you use this data set.

① Data Citation

(II)

Fedorov A, Tempany C, Mulkern R, & Fennessy F. (2016). **Data From QIN PROSTATE**. The Cancer Imaging Archive. DOI: 10.7937/K9/TCIA.2016.fADs26kG

① Citation - Grant Support

Please acknowledge the award that supported collection and sharing of these data sets (U01 CA151261, PI Fiona Fennessy).

(i) Publication Citation

Fedorov A, Fluckiger J, Ayers GD, Li X, Gupta SN, Tempany C, Mulkernag R, Yankeelov TE, Fennessy FM. (2014). A comparison of two methods for estimating DCE-MRI parameters via individual and cohort based AIFs in prostate cancer: A step towards practical implementation. Magnetic Resonance Imaging 32 (4):321-329. DOI: 10.1016/j.mri.2014.01.004

(i) Publication Citation - Protocol

Hegde, J. V., Mulkern, R. V., Panych, L. P., Fennessy, F. M., Fedorov, A., Maier, S. E., & Tempany, C. M. C. (2013, April 18). Multiparametric MRI of prostate cancer: An update on state-of-the-art techniques and their performance in detecting and localizing prostate cancer. J. Magn. Reson. Imaging. Wiley-Blackwell. ht tp://doi.org/10.1002/jmri.23860

(1) TCIA Citation

Clark K, Vendt B, Smith K, Freymann J, Kirby J, Koppel P, Moore S, Phillips S, Maffitt D, Pringle M, Tarbox L, Prior F. (2013) **The Cancer Imaging Archive (TCIA): Maintaining and Operating a Public Information Repository**, Journal of Digital Imaging 26(6):1045-1057. DOI: 10.1007/s10278-013-9622-7

Other Publications Using This Data

TCIA maintains a list of publications which leverage our data. If you have a manuscript you'd like to add please contact TCIA's Helpdesk.

<u>Versions</u> Version 1 (Current): Updated 2014/07/02

Data Type	Download all or Query/Filter
Images (DICOM, 4.4GB)	Download Search
	(Download requires the NBIA Data Retriever.)