

Breast Metastases to Axillary Lymph Nodes (SLN-Breast)

Summary

Redirection Notice

This page will redirect to <https://www.cancerimagingarchive.net/collection/sln-breast/> in about 5 seconds.

The detection of breast cancer metastases to lymph nodes is of great prognostic value for patient treatment. Using machine learning to detect metastatic breast cancer to lymph nodes can increase efficiency of pathologist diagnosis and ultimately ensure patients are accurately staged for prospective treatment. This dataset allows for the objective comparison of breast cancer metastases detection algorithms.

The dataset consists of 130 de-identified whole slide images of H&E stained axillary lymph node specimens from 78 patients. Metastatic breast carcinoma is present in 36 of the WSI from 27 patients. No patient inclusion/exclusion criteria were followed. No slide inclusion/exclusion criteria were followed. The slides were scanned at Memorial Sloan Kettering Cancer Center (MSKCC) with Leica Aperio AT2 scanners at 20x equivalent magnification (0.5 microns per pixel). Together with the slides, the class label of each slide, either positive or negative for breast carcinoma, is given. The slide class label was obtained from the pathology report of the respective case.

Data Access

Data Access

Data Type	Download all or Query/Filter	License
Slide Images (.SVS, 53 GB)	Download Search (Download and apply the IBM-Aspera-Connect plugin to your browser to retrieve this faspex package)	CC BY 3.0
Supplemental Data (CSV, 3kb)	Download	CC BY 3.0

Detailed Description

Detailed Description

Image Statistics	
Modalities	Pathology, WSI
Number of Participants	78
Number of Images	130
Images Size (GB)	53

Explanation of target.csv files

target.csv contains a binary label for each slide image in the dataset.

- target=1 means that the image contains breast cancer metastases.
- target=0 means that the image does not contain breast cancer metastases.

Citations & Data Usage Policy

Citations & Data Usage Policy

Users must abide by the [TCIA Data Usage Policy and Restrictions](#). Attribution should include references to the following citations:

Data Citation

Campanella, G., Hanna, M. G., Brogi, E., & Fuchs, T. J. (2019). **Breast Metastases to Axillary Lymph Nodes [Data set]**. The Cancer Imaging Archive. <https://doi.org/10.7937/tcia.2019.3xbn2jcc>

Publication Citation

Campanella, G., Hanna, M. G., Geneslaw, L., Miraflor, A., Werneck Krauss Silva, V., Busam, K. J., Brogi, E., Reuter, V. E., Klimstra, D. S., & Fuchs, T. J. (2019). **Clinical-grade computational pathology using weakly supervised deep learning on whole slide images**. Nature Medicine (Vol. 25, Issue 8, pp. 1301–1309). Springer Science and Business Media LLC. <https://doi.org/10.1038/s41591-019-0508-1>

TCIA Citation

Clark K, Vendt B, Smith K, Freymann J, Kirby J, Koppel P, Moore S, Phillips S, Maffitt D, Pringle M, Tarbox L, Prior F. **The Cancer Imaging Archive (TCIA): Maintaining and Operating a Public Information Repository**, Journal of Digital Imaging, Volume 26, Number 6, December, 2013, pp 1045-1057. DOI: [10.1007/s10278-013-9622-7](https://doi.org/10.1007/s10278-013-9622-7)

Other Publications Using This Data

TCIA maintains [a list of publications](#) which leverage TCIA data. If you have a manuscript you'd like to add please [contact TCIA's Helpdesk](#).

Versions

Version 1 (Current): Updated 2019/07/18

Data Type	Download all or Query/Filter
Images (.SVS, 53 GB)	Download Search (Download and apply the IBM-Aspera-Connect plugin to your browser to retrieve this faspex package)
Supplemental Data (CSV)	Download (Download requires the NBIA Data Retriever)

